


# Model EX530 International<sup>®</sup> 530 Engines

## **Features**

- Performance Optimized for Highest Available Horsepower
- Available for All Ratings of International 530 Engines
- Tamper-proof for Engine Reliability
- Lightweight
- Alloyed Cast-iron Housing and Butterfly Plate for High Strength and Long Life
- High Temperature Capability
- Backed by Jacobs Worldwide Network of Distributors and Dealers

## **Benefits**

- Increased Vehicle Productivity
- Service Brake Savings
- Increased Vehicle Control
- Consistent Performance
- Low Overhung Weight on Turbocharger
- Installation Flexibility





# **Model EX530**

#### **International® 530 Engines**

## **Technical Specifications**

 "A" Measurement:
 7.52"
 191 mm

 "B" Measurement:
 3.41"
 86.6 mm


 "C" Measurement
 10.83"
 275 mm

 Weight:
 7.65 lbs.
 3.67 Kg.

 Exhaust Pipe Size:
 3.5"
 88.9 mm

Air Supply Pressure: 75 - 145 psi 5.2 - 10 BAR


Air Cylinder Thread: 1/4 - 18 NPT



#### **How an Extarder Works**

The Jacobs Extarder is an engine compression retarder that generates its retarding power by a controlled restriction of the engine's exhaust gas flow. In restricting the engine exhaust, there is a resultant substantial increase in the engine back pressure. The power required to keep the engine running against this increased back pressure is obtained from the vehicle's forward momentum. That is, the vehicle's rear wheels are providing the power to turn the engine. This negative energy controls the vehicle's downhill speed while also providing vehicle speed reduction on a level surface.

### **Retarding Performance**



<b>Retarding Power</b>	
RPM	HP
1400	50
1600	65
1800	82
2000	102
2200	126
2400	150
2600	170



Jacobs <sup>®</sup> is a registered trademark and Extarder<sup>™</sup> is a trademark of Jacobs Vehicle Equipment Company • 22 East Dudley Town Road • Bloomfield, CT 06002