Cummins Inc. - Water Security 2023



W0. Introduction

W0.1

(W0.1) Give a general description of and introduction to your organization.

Cummins Inc., a global power leader, is a corporation of complementary business segments that design, manufacture, distribute and service a broad portfolio of power solutions. The company's products range from diesel, natural gas, electric and hybrid powertrains and powertrain-related components including filtration, aftertreatment, turbochargers, fuel systems, controls systems, air handling systems, automated transmissions, axles, drivelines, brakes, suspension systems, electric power generation systems, batteries, electrified power systems, electric powertrains, hydrogen production and fuel cell products. Headquartered in Columbus, Indiana (U.S.), since its founding in 1919, Cummins employs approximately 73,600 people committed to powering a more prosperous world through three global corporate responsibility priorities critical to healthy communities: education, environment and equality of opportunity. Cummins serves its customers online, through a network of company-owned and independent distributor locations, and through thousands of dealer locations worldwide and earned about \$2.2 billion on sales of \$28.1 billion in 2022. See how Cummins is powering a world that's always on by accessing news releases and more information at https://www.cummins.com/always-on.

W0.2

(W0.2) State the start and end date of the year for which you are reporting data.

	Start date	End date
Reporting year	January 1 2022	December 31 2022

W0.3

CDP Page 1 of 32

(W0.3) Select the countries/areas in which you operate.

Argentina

Australia

Austria

Belgium

Bolivia (Plurinational State of)

Botswana

Brazil

Canada

China

Colombia

Costa Rica

Czechia

France

Germany

Ghana

Honduras

India

Ireland

Italy

Japan

Kazakhstan

Malaysia

Mexico

Mongolia

Morocco

Netherlands

New Zealand

Nigeria

Norway

Panama

Papua New Guinea

Philippines

Poland

Qatar

Republic of Korea

Romania

Russian Federation

Saudi Arabia

Serbia

Singapore South Africa

Spain

Sweden

Turkey

United Arab Emirates

United Kingdom of Great Britain and Northern Ireland

United States of America

Zambia

W0.4

(W0.4) Select the currency used for all financial information disclosed throughout your response.

USD

W0.5

(W0.5) Select the option that best describes the reporting boundary for companies, entities, or groups for which water impacts on your business are being reported.

Companies, entities or groups over which operational control is exercised

W0.6

(W0.6) Within this boundary, are there any geographies, facilities, water aspects, or other exclusions from your disclosure?

No

W0.7

Indicate whether you are able to provide a unique identifier for your organization.	Provide your unique identifier		
Yes, a Ticker symbol	CMI		

W1. Current state

W1.1

(W1.1) Rate the importance (current and future) of water quality and water quantity to the success of your business.

	Direct use	Indirect	Please explain
	importance	use	
	rating	importance	
		rating	
Sufficient amounts of good quality freshwater available for use	Vital	Important	Drinking quality water is needed to support employee needs, and if the necessary quality is not available we do have the ability to treat onsite. Indirectly our needs are mainly associated with the process of providing raw materials for our production.
Sufficient amounts of recycled, brackish and/or produced water available for use	Important	Important	Water is necessary for operation, without water we cannot operate; however, the source and quality of the water is flexible depending upon process, and we do have treatment capability to obtain necessary quality level. Cummins doesn't withdraw brackish / seawater directly for our processes or sanitation needs. Cummins uses recycled water to offset the use of fresh water, hence making it important to reduce the water withdrawn. Cummins also treats wastewater in some cases to a reuse quality for non-potable uses.

W1.2

(W1.2) Across all your operations, what proportion of the following water aspects are regularly measured and monitored?

	% of sites/facilities/operations		Method of measurement	Please explain
Water withdrawals – total volumes	76-99	Monthly	Facilities typically obtain withdrawal data on a monthly basis from meters installed at the site and in invoices from their utility. Total withdrawal is normally the sum of the more granular volumes by source.	Cummins has tracked this aspect globally since 2008. Facilities in Cummins Enterprise Environmental Management System, which includes all Cummins managed facilities and 50:50 non-managed Joint Venture Operations, are asked to measure, monitor, and report on this aspect in quarterly data campaigns. Sites input data at the end of each quarter using using cloud-based environmental management software that stores the information for review and mobilization at the corporate level. Each campaign requests data at the monthly level for five primary metrics. While this information is obtained in different ways depending on the site, common sources include meter readings and invoices from utilities. The total volume of water withdrawn at each site is calculated as the sum of primary metrics for water supplied from utility providers, Cummins-owned wells, storm water and rainwater harvesting, water hauled from offsite and water supplied from other sources.
Water withdrawals – volumes by source	76-99	Monthly	Sub-metering of Cummins owned-wells, deliveries, rainwater harvesting systems, and other withdrawal methods is used to determine the amount attributable to specific sources.	There are five water withdrawal by source metrics in Cummins environmental tracking system: 1) Water from Cummins owned wells, 2) Water supplied from other sources 3) Water supplied from public/private utilities 4) Water trucked/hauled from offsite 5) Storm water and rainwater harvesting for on-site use. Facilities in Cummins Enterprise Environmental Management System, which includes all Cummins managed facilities and 50:50 non-managed Joint Venture Operations, are asked to measure and report on these metrics in quarterly data campaigns. Sites input data at the end of each quarter using cloud-based environmental management software that stores the information for review and mobilization. A corporate team actively manages the data to identify opportunities for improvement, track progress, and ensure data quality.
Entrained water associated with your metals & mining and/or coal sector activities - total volumes [only metals and mining and coal sectors]	<not applicable=""></not>	<not Applicable></not 	<not applicable=""></not>	<not applicable=""></not>
Produced water associated with your oil & gas sector activities - total volumes [only oil and gas sector]	<not applicable=""></not>	<not Applicable></not 	<not applicable=""></not>	<not applicable=""></not>
Water withdrawals quality	Not monitored	<not Applicable></not 	<not applicable=""></not>	While Cummins does not collect water quality data at a corporate level, there is a corporate requirement that all sites either analyze or review analysis by the water provider to ensure adequate water quality is met.
Water discharges – total volumes	76-99	Monthly	Total discharge volumes are the sum of the volumes by destination tracked at the site level using meter readings, invoices, engineering calculations, and process knowledge.	Cummins tracks water discharges from all global facilities subscribed to Cummins Enterprise Environmental Management System. Discharge categories include: 1) Industrial process and sanitary waste water discharged to public/private treatment works, 2) Onsite treated water released to (a) Surface waters/streams, (b) Underground (e.g. septic leach field, sub surface injection), (c) Irrigation, 3) Treated/untreated wastewater trucked offsite. Cummins also tracks 1) Fire testing water discharged to environment and 2) Fresh water used for landscape irrigation. Sites input data at the end of each quarter using cloud-based environmental management software. A corporate team actively manages the data to identify opportunities for improvement, track progress, and ensure data quality.

	% of sites/facilities/operations		Method of measurement	Please explain
Water discharges – volumes by destination	76-99	Monthly	Potential discharge destinations include off-site treatment works, surface waters, underground, and the land surface (e.g. irrigation). The methods by which discharge measurements are obtained vary by site and destination. Discharges to treatment works may be metered in some cases; in others engineering calculations and process knowledge may be used instead. Other sources such as fire testing are less likely to be submetered and may be estimated as part of the site's water balance calculations.	Cummins measures the volume of water discharged from facilities subscribed to Cummins Enterprise Environmental Management System. Discharge-by-destination categories include: 1) Industrial process and sanitary waste water discharged to public/private treatment works, 2) Onsite treated water released to (a) Surface waters/streams, (b) Underground (e.g. septic leach field, sub surface injection), (c) Irrigation, 3) Treated/untreated wastewater trucked offsite. Cummins also tracks 1) Fire testing water discharged to environment and 2) Fresh water used for landscape irrigation. Sites input data at the end of each quarter using cloud-based software. A corporate team actively manages the data to identify opportunities for improvement, track progress, and ensure data quality.
Water discharges – volumes by treatment method	Less than 1%	Unknown	While the subset of Cummins facilities with water treatment capabilities track the volume of water discharged by treatment method using meters and engineering calculations, this information is currently not included in the corporate level environmental management metrics.	Cummins tracks the destination of discharges from its facilities but has not yet established metrics for treatment type in its environmental management system.
Water discharge quality – by standard effluent parameters	Less than 1%	Unknown	Facilities that assess discharge for standard effluent parameters, either in fulfillment of a regulatory requirement or for internal purposes, do not report this data along with the other environmental management metrics that Cummins collects. Typically these measurements would be obtained by using hand held instruments (e.g., pH probe) or collecting samples and analyzing them in an onsite or external laboratory.	Facilities track their water discharge quality data for effluent. While this data is not summarized at the corporate level, Cummins does track exceedances of water quality criteria and offer support as necessary. Cummins is developing Global Water Standards that would potentially require discharge quality data to be tracked and rolled up at various organizational levels.
Water discharge quality – emissions to water (nitrates, phosphates, pesticides, and/or other priority substances)	Not monitored	<not Applicable></not 	<not applicable=""></not>	As with standard effluent parameters, some Cummins facilities may be required to test for substances such as nitrates. If measured at the site level, this information is currently not included in Cummins corporate environmental performance tracking.
Water discharge quality – temperature	Not monitored	<not Applicable></not 	<not applicable=""></not>	While Cummins does not collect water discharge quality data at a corporate level, all sites are required to comply with any regulations regarding discharge. If temperature is a regulated component the site would be required to monitor and report exceedances. Discharge violations are tracked at a corporate level, along with corrective actions for each.
Water consumption – total volume	76-99	Monthly	Common sources of water consumption volumes include meter readings and calculations that rely on engineering and process knowledge. Estimations of evaporation rates and cooling tower make-up water use are part of the basis for the total.	For analyzing the amount of water that is used but not returned to its original source, Cummins tracks 1) Evaporative losses (cooling towers, etc.) 2) Water used in product for sale and 3) Cooling tower make-up. Monthly data is collected each quarter for these metrics using cloud-based environmental management software. All facilities in Cummins Enterprise Environmental Management System, which includes all Cummins managed facilities and 50:50 non-managed Join Venture Operations, are included in these quarterly campaigns. A corporate team actively manages the database to identify opportunities for improvement, track progress, and ensure data quality.
Water recycled/reused	76-99	Monthly	Sources of information that are commonly used include meter readings, operational records, and calculations that rely on engineering and process knowledge.	Cummins facilities track industrial and sanitary waste water that is hauled offsite for reuse or treatment, treated on-site and reused for irrigation, and treated for reuse in an on-site process. Monthly data is collected each quarter for these metrics using cloud-based environmental management software. The quarterly campaigns include all Cummins managed facilities and 50:50 non-managed Joint Venture Operations in its Enterprise Environmental Management System. A corporate team uses the database to identify opportunities for improvement, track progress, and ensure data quality.
The provision of fully-functioning, safely managed WASH services to all workers	100%	Other, please specify (WASH is mandated in Cummins standard operating policy and is verified during periodic internal reviews and audits.)	Cummins has integrated WASH into its building standards and business practices. Employees are expected to have access to functioning and safe WASH facilities at all times. This requirement is verified through internal reviews and audits, which occur with varying frequencies depending on the site and review mechanism.	Drinking quality water is needed to support employees and is therefore important for Cummins. If water of the requisite quality is not available, Cummins has the ability to treat water onsite. Sanitation facilities are available for employees at every site.

W1.2b

CDP Page 4 of 32

(W1.2b) What are the total volumes of water withdrawn, discharged, and consumed across all your operations, how do they compare to the previous reporting year, and how are they forecasted to change?

	Volume (megaliters/year)	Comparison with previous reporting year	Primary reason for comparison with previous reporting year	Five- year forecast	Primary reason for forecast	Please explain
Total withdrawals	3740.6	Much higher	Mergers and acquisitions	Lower	Other, please specify (The forecast is based on the anticipated change in water use that Cummins is taking steps to achieve to meet its 30% by 2030 reduction target.)	Total water withdrawals increased by about 18% on an absolute basis compared to 2021, primarily due to the acquisition of Meritor and Jacobs Vehicle Systems in 2022. The change was categorized as "Much Higher" in comparison with the previous reporting year because the difference was greater than 15%.
Total discharges	2299.6	Higher	Mergers and acquisitions	Lower	Other, please specify (The forecast is based on the anticipated change in water use that Cummins is taking steps to achieve to meet its 30% by 2030 reduction target.)	The amount of water discharged by Cummins in 2022 increased by 11% on an absolute basis as compared to 2021 primarily due to acquisitions. Most of the facilities that Cummins acquired in 2022 did not track discharge metrics, and Cummins is working to fill this gap for both future and past years. Discharges from acquired facilities were estimated in the interim. The total amount of water withdrawn by the facilities was multiplied by a set of ratios that corresponded to each of Cummins discharge metrics. For instance, if 10% of Cummins withdrawals were discharged to a particular source in 2022, then the same was assumed to apply to acquired facilities in light of operational similarities. The categories that contributed to the discharge total include: 1) Industrial process and sanitary waste water discharged to public/private treatment works, 2) Onsite treated water released to (a) Surface waters/streams, (b) Underground (e.g. septic leach field, sub surface injection), (c) Irrigation, 3) Treated/untreated wastewater trucked offsite and 4) Landscape irrigation. The change was categorized as "higher" in comparison with the previous reporting year because the difference was greater than 5% but not more than 15%.
Total consumption	1274.3	Much higher	Mergers and acquisitions	Lower	Other, please specify (The forecast is based on the anticipated change in water use that Cummins is taking steps to achieve to meet its 30% by 2030 reduction target.)	The amount of water consumed by Cummins in 2022 increased by 42% on an absolute basis as compared to 2021 primarily due to acquisitions. Most of the facilities that Cummins acquired in 2022 did not track consumption metrics, and Cummins is working to fill this gap for both future and past years. Consumption at acquired facilities was estimated in the interim. The total amount of water withdrawn by the facilities was multiplied by a set of ratios that corresponded to each of Cummins consumption metrics. For instance, if 10% of Cummins withdrawals were consumed in a particular way in 2022, then the same was assumed to apply to the acquired facilities given the operational similarities. The categories that contributed to the discharge total include: 1) Industrial process and sanitary waste water discharged to public/private treatment works, 2) Onsite treated water released to (a) Surface waters/streams, (b) Underground (e.g. septic leach field, sub surface injection), (c) Irrigation, 3) Treated/untreated wastewater trucked offsite and 4) Landscape irrigation. The change was categorized as "much higher" in comparison with the previous reporting year because the difference was greater than 15%.

W1.2d

(W1.2d) Indicate whether water is withdrawn from areas with water stress, provide the proportion, how it compares with the previous reporting year, and how it is forecasted to change.

	areas with water stress	withdrawn from	with previous	Primary reason for comparison with previous reporting year	Five- year forecast	Primary reason for forecast	Identification tool	Please explain
Row 1	Yes	26-50	same	Other, please specify (Recent acquisitions, operational changes, and continued progress toward the 2030 reduction target collectively contributed to the proportion of water consumption in stressed areas remaining about the same as last year.)	About the same	Other, please specify (We expect for water use to be reduced across the entire company to meet the 2030 target, regardless of localized water-stress. The proportion of water consumption that occurs in stressed areas should remain about the same as a result.)	WRI Aqueduct Other, please specify (Maplecroft Risk Tool)	Cummins uses both historical data from the WRI Baseline Water Stress (RAW) and an assessment tool developed around water stress and water quality risk data from Maplecroft. The Maplecroft tool provides local water stress and water quality indices based on a facility's longitude and latitude. This score is paired with relevant site-specific information to determine the water risk at any given site. The proportion of water withdrawn from water stressed areas by Cummins in 2022 was estimated to be 46% as compared to 47% in 2021. The change was categorized as "about the same" in comparison with the previous reporting year because the difference was less than 5%.

W1.2h

CDP Page 5 of 32

(W1.2h) Provide total water withdrawal data by source.

	Relevance	Volume (megaliters/year)	Comparison with previous reporting year	Primary reason for comparison with previous reporting year	Please explain
Fresh surface water, including rainwater, water from wetlands, rivers, and lakes	Relevant	4.2	Much higher	Other, please specify (Increased rainwater capture in certain regions.)	Cummins facilities don't extract water directly from fresh surface water for sanitation or process needs. However, there could be indirect supply through the public/private utilities or trucked water that may be extracted from fresh surface water. Several Cummins facilities have on-site rainwater harvesting systems in place but only a few (primarily in India, the United Kingdom, Brazil and Mexico) use this for on-site purposes. The 4.2 megaliters of fresh surface water withdrawn in 2022 are from rainwater only. The change was categorized as "much higher" in comparison with the previous reporting year because the difference was greater than 15%. The increase was primarily due to increased rainwater capture at a few sites in India and China.
Brackish surface water/Seawater	Not relevant	<not applicable=""></not>	<not Applicable></not 	<not Applicable></not 	Cummins facilities don't withdraw water from brackish surface/seawater for any sanitation or process needs.
Groundwater – renewable	Relevant	368.2	Much higher	"	The amount of water withdrawn from Cummins owned wells in 2022 was categorized as much higher than the prior year since the difference was more than 15%. This change can be attributed to facilities acquired in 2022 that were not previously included in Cummins footprint and increased extraction in China, India, Mexico, and Nigeria. However, most of these areas have still seen reductions as compared to pre-pandemic operations.
Groundwater – non-renewable	Not relevant	<not applicable=""></not>	<not Applicable></not 	<not Applicable></not 	Cummins facilities don't withdraw water from non-renewable ground water sources.
Produced/Entrained water	Not relevant	<not applicable=""></not>	<not Applicable></not 	<not Applicable></not 	Not applicable for Cummins as it is not in the oil and gas industry.
Third party sources	Relevant	3368.2	Higher	Mergers and acquisitions	The amount of water withdrawn from third party sources in 2022 was about 11% more than in the prior year. The change was categorized as "higher" in comparison because the difference was between 5% and 15%.

W1.2i

(W1.2i) Provide total water discharge data by destination.

	Relevance		Comparison with previous reporting year	Primary reason for comparison with previous reporting year	Please explain
Fresh surface water	Relevant	58.9	Much higher		The quantity of water treated onsite or used for fire testing and discharged to surface water increased by about 28% in 2022. The change was categorized as "much higher" in comparison with the previous reporting year because the difference was greater than 15%. This was primarily due to acquisitions in 2022. Most of the acquired facilities did not track discharges for environmental performance, and Cummins is working to fill this gap for both future and past years. Discharges from acquired facilities were estimated in the interim. The total amount of water withdrawn by the facilities was multiplied by a set of ratios that corresponded to each of Cummins discharge metrics. For instance, if 10% of Cummins withdrawals were discharged to a particular source in 2022, then the same was assumed to apply to acquired facilities in light of operational similarities.
Brackish surface water/seawater	Not relevant	<not applicable=""></not>	<not Applicable></not 	<not Applicable></not 	Cummins does not have any facilities that report discharges to brackish surface water sources.
Groundwater	Relevant	400.4	Higher	acquisitions	The discharge of industrial and sanitary waste water treated on-site and released directly (e.g. septic leach field, sub-surface injection) or indirectly (i.e. irrigation) to the subsurface was about 9% more in 2022 than it was in 2021. The change was categorized as "higher" because the difference was greater than 5% but not more than 15%. The change was primarily due to acquisitions in 2022. Most of the acquired facilities did not track discharges for environmental performance, and Cummins is working to fill this gap for both future and past years. Discharges from acquired facilities were estimated in the interim. The total amount of water withdrawn by the facilities was multiplied by a set of ratios that corresponded to each of Cummins discharge metrics. For instance, if 10% of Cummins withdrawals were discharged to a particular source in 2022, then the same was assumed to apply to acquired facilities in light of operational similarities.
Third-party destinations	Relevant	1840.3	Higher		Industrial and sanitary waste water discharged to public/private treatment works or hauled off-site is included in the third-party destinations total. In 2022, Cummins discharged 11% more water to third-party destinations than in the prior year. Acquisitions were the primary contributors to the change, which was categorized as "higher" since the difference was between 5% and 15%. Most of the acquired facilities did not track discharges for environmental performance, and Cummins is working to fill this gap for both future and past years. Discharges from acquired facilities were estimated in the interim. The total amount of water withdrawn by the facilities was multiplied by a set of ratios that corresponded to each of Cummins discharge metrics. For instance, if 10% of Cummins withdrawals were discharged to a particular source in 2022, then the same was assumed to apply to acquired facilities in light of operational similarities.

W1.2j

CDP Page 6 of 32

(W1.2j) Within your direct operations, indicate the highest level(s) to which you treat your discharge.

	Relevance of treatment level to discharge	Volume (megaliters/year)	Comparison of treated volume with previous reporting year	Primary reason for comparison with previous reporting year	% of your sites/facilities/operations this volume applies to	Please explain
Tertiary treatment	Relevant but volume unknown	<not applicable=""></not>	<not Applicable></not 	<not applicable=""></not>	<not applicable=""></not>	A subset of Cummins' facilities engage in tertiary treatment. However, while the destination of discharge is tracked in the company's environmental management system, corporate level metrics for treatment type have not yet been established. As such, the volume of water treated each year using these methods is not known.
Secondary treatment	Relevant but volume unknown	<not applicable=""></not>	<not Applicable></not 	<not applicable=""></not>	<not applicable=""></not>	A subset of Cummins' facilities engage in secondary treatment. However, while the destination of discharge is tracked in the company's environmental management system, corporate level metrics for treatment type have not yet been established. As such, the volume of water treated each year using these methods is not known.
Primary treatment only	Relevant but volume unknown	<not applicable=""></not>	<not Applicable></not 	<not applicable=""></not>	<not applicable=""></not>	A subset of Cummins' facilities only engage in primary treatment. However, while the destination of discharge is tracked in the company's environmental management system, corporate level metrics for treatment type have not yet been established. As such, the volume of water treated each year using these methods is not known.
Discharge to the natural environment without treatment	Not relevant	<not applicable=""></not>	<not Applicable></not 	<not applicable=""></not>	<not applicable=""></not>	Untreated water is not discharged to the natural environment.
Discharge to a third party without treatment	Relevant but volume unknown	<not applicable=""></not>	<not Applicable></not 	<not applicable=""></not>	<not applicable=""></not>	A subset of Cummins' facilities discharge untreated water to a third party. However, while the destination of discharge is tracked in the company's environmental management system, corporate level metrics for treatment type have not yet been established. As such, all of the water sent offsite for reuse or treatment is assumed not to have been treated prior to leaving the facility.
Other	Relevant but volume unknown	<not applicable=""></not>	<not Applicable></not 	<not applicable=""></not>	<not applicable=""></not>	Some of Cummins' facilities use reverse osmosis to treat discharge for subsequent reuse onsite. Applications for discharge treated in this manner include non-potable water used to flush toilets and cooling towers associated with industrial processes.

W1.3

(W1.3) Provide a figure for your organization's total water withdrawal efficiency.

	withdrawal volume	Total water withdrawal efficiency	Anticipated forward trend
2505126 0534.43	3740.6		The acquisition of Meritor, Jacobs Vehicle Systems, Siemens CVP, and Westport JV in 2022 added to the facilities that fall within Cummins organizational boundary. This increased both Cummins water withdrawal and revenue. Cummins continues to gather water-related data from these facilities to better quantify their impact. While opportunities to reduce the withdrawal and improve the management of water at these sites are still being identified, we anticipate efficiency improvements once they are.

W1.4

(W1.4) Do any of your products contain substances classified as hazardous by a regulatory authority?

	Products contain hazardous substances	Comment
Row 1	Yes	<not applicable=""></not>

W1.4a

(W1.4a) What percentage of your company's revenue is associated with products containing substances classified as hazardous by a regulatory authority?

	% of revenue associated with products containing substances in this list	Please explain
Candidate List of Substances of Very High Concern for Authorisation above 0.1% by weight (EU Regulation)		Some bearings and bushings, ECMs, Sensors, Actuators, Hoses, gaskets, seals and other small parts contain REACH SVHCs like Lead, DEHP etc.
Candidate List of Substances of Very High Concern (UK Regulation)		Some bearings and bushings, ECMs, Sensors, Actuators, Hoses, gaskets, seals and other small parts contain REACH SVHCs like Lead, DEHP etc.

W1.5

(W1.5) Do you engage with your value chain on water-related issues?

	Engagement	Primary reason for no engagement	Please explain
Suppliers	Yes	<not applicable=""></not>	<not applicable=""></not>
Other value chain partners (e.g., customers)	Yes	<not applicable=""></not>	<not applicable=""></not>

(W1.5a) Do you assess your suppliers according to their impact on water security?

Row 1

Assessment of supplier impact

No, we do not assess the impact of our suppliers and have no plans to do so within the next two years

Considered in assessment

<Not Applicable>

Number of suppliers identified as having a substantive impact

<Not Applicable>

% of total suppliers identified as having a substantive impact

<Not Applicable>

Please explain

Cummins has an annual scorecard for the largest suppliers and its strategic suppliers. The tool provides one consolidated approach to monitor areas of improvement, such as environmental sustainability. It is used for the supplier business review and assessment of the supplies' performance for continued business with Cummins. Generally, the areas that we asses are: (i) greenhouse gas emissions, water use, full material disclosure in the products the suppliers sell to Cummins. In addition, we ask for evidence for compliance with applicable standards, such as the ISO 14001.

W1.5b

(W1.5b) Do your suppliers have to meet water-related requirements as part of your organization's purchasing process?

	Suppliers have to meet specific water-related requirements	Comment
Row 1	Yes, suppliers have to meet water-related requirements, but they are not included in our supplier contracts	<not applicable=""></not>

W1.5c

(W1.5c) Provide details of the water-related requirements that suppliers have to meet as part of your organization's purchasing process, and the compliance measures in place.

Water-related requirement

Complying with going beyond water-related regulatory requirements

% of suppliers with a substantive impact required to comply with this water-related requirement

<Not Applicable>

% of suppliers with a substantive impact in compliance with this water-related requirement

<Not Applicable>

Mechanisms for monitoring compliance with this water-related requirement

Certification

Response to supplier non-compliance with this water-related requirement

Retain and engage

Comment

Cummins has an annual scorecard for the largest suppliers and its strategic suppliers. The tool provides one consolidated approach to monitor areas of improvement, such as environmental sustainability. It is used for the supplier business review and assessment of the supplies' performance for continued business with Cummins.

Generally, the areas that we asses are: (i) greenhouse gas emissions, water use, full material disclosure in the products the suppliers sell to Cummins. In addition, we ask for evidence for compliance with applicable standards, such as the ISO 14001.

W1.5d

(W1.5d) Provide details of any other water-related supplier engagement activity.

Type of engagement

Information collection

Details of engagement

Collect water management information at least annually from suppliers

Collect information on water-related risks at least annually from suppliers

Collect water quantity information at least annually from suppliers (e.g., withdrawal and discharge volumes)

Other, please specify

% of suppliers by number

1-25

% of suppliers with a substantive impact

<Not Applicable>

Rationale for your engagement

Cummins has an annual scorecard for the largest suppliers and its strategic suppliers. The tool provides one consolidated approach to monitor areas of improvement, such as environmental sustainability. It is used for the supplier business review and assessment of the supplies' performance for continued business with Cummins. Generally, the areas that we asses are: (i) greenhouse gas emissions, water use, full material disclosure in the products the suppliers sell to Cummins. In addition, we ask for evidence for compliance with applicable standards, such as the ISO 14001. CMI does this to ensure stability, sustainability and environmental stewardship of the supplier we choose to work with.

Impact of the engagement and measures of success

Cummins has an annual scorecard for the largest suppliers and its strategic suppliers. The tool provides one consolidated approach to monitor areas of improvement, such as environmental sustainability. It is used for the supplier business review and assessment of the supplies' performance for continued business with Cummins. Generally, the areas that we asses are: (i) greenhouse gas emissions, water use, full material disclosure in the products the suppliers sell to Cummins. In addition, we ask for evidence for compliance with applicable standards, such as the ISO 14001. These efforts ensure continued focus and improvement related to environmental sustainability and conservation.

Comment

W1.5e

(W1.5e) Provide details of any water-related engagement activity with customers or other value chain partners.

Type of stakeholder

Other, please specify (Contractors, community partners, peers, regulatory bodies)

Type of engagement

Innovation & collaboration

Details of engagement

Collaborate with stakeholders on innovations to reduce water impacts in products and services

Engage with stakeholders to advocate for policy or regulatory change

Encourage stakeholders to work collaboratively with other users in their river basins toward sustainable water management

Rationale for your engagement

CMI promotes environmental stewardship within our mission, vision, policy statement and core values.

Impact of the engagement and measures of success

CMI has partnered with groups such as the Water Resiliency Coalition, The Nature Conservancy, various community organizations and many others to educate, fund, apply knowledge, volunteer hours and provide a variety of other support relative to water conservation. We have hosted innovation gateway programs to find a try technical solutions as well.

W2. Business impacts

W2.1

(W2.1) Has your organization experienced any detrimental water-related impacts?

No

W2.2

(W2.2) In the reporting year, was your organization subject to any fines, enforcement orders, and/or other penalties for water-related regulatory violations?

	Water-related regulatory violations	Fines, enforcement orders, and/or other penalties	Comment
Row 1	No	<not applicable=""></not>	

W3. Procedures

W3.1

(W3.1) Does your organization identify and classify potential water pollutants associated with its activities that could have a detrimental impact on water ecosystems or human health?

	classification of potential water pollutants	potential	Please explain
Row 1	No, we do not identify and classify our potential water pollutants		Cummins manages all chemicals as potential water pollutants and has a prohibited substance list that prevents use of extremely hazardous substances, CMI has a chemical approval process to review safety data sheets prior to purchase of all substances. CMI requires all sites to develop a spill prevention and response plan to protect from environmental impacts, we also have procedures for fluids management, stormwater protection and pollution prevention. These procedures require administrative and engineering controls to avoid negative impacts. CMI has an industrial wastewater management procedure that prohibits disposal of industrial wastewater directly to the environment. Wastewater must be treated and meet regulatory requirements prior to disposal. Sites are audited for compliance annually and thorough pollution prevention audits are being and have been conducted by external consultants within the past few years.

W3.3

(W3.3) Does your organization undertake a water-related risk assessment?

Yes, water-related risks are assessed

W3.3a

(W3.3a) Select the options that best describe your procedures for identifying and assessing water-related risks.

Value chain stage

Direct operations

Supply chain

Coverage

Partial

Risk assessment procedure

Water risks are assessed as part of an established enterprise risk management framework

Frequency of assessment

Annually

How far into the future are risks considered?

More than 6 years

Type of tools and methods used

Tools on the market

Enterprise risk management

Other

Tools and methods used

WRI Aqueduct

Internal company methods

External consultants

Other, please specify (Maplecroft Risk Assessment Tool)

Contextual issues considered

Water availability at a basin/catchment level

Water quality at a basin/catchment level

Access to fully-functioning, safely managed WASH services for all employees

Stakeholders considered

Customers

Employees

Investors

Local communities

Suppliers

Comment

W3.3b

(W3.3b) Describe your organization's process for identifying, assessing, and responding to water-related risks within your direct operations and other stages of your value chain.

	Rationale for approach to risk assessment	Explanation of contextual issues considered		Decision-making process for risk response
Row 1	Refer to section 4.1a		Refer to section 4.1a Stakeholders would consist of our employees and contractors, costumers, communities and suppliers.	Refer to section 4.1a

W4. Risks and opportunities

W4.1

(W4.1) Have you identified any inherent water-related risks with the potential to have a substantive financial or strategic impact on your business? Yes, only within our direct operations

W4.1a

(W4.1a) How does your organization define substantive financial or strategic impact on your business?

Cummins uses a multi-pronged approach to evaluate risks and opportunities and determining if they are substantive to our business. Cummins Business Continuity Planning function prioritizes and addresses key risks of which water related issues are one component. Cummins developed a cause and effect (C&E) matrix to prioritize sites combining multiple factors including: 1) site's self-assessment of water risk from a survey on source water sustainability, quality, discharge, regulatory, and cost considerations addressing both current and future conditions, 2) site size and complexity, 3) the presence or absence of water supply assessments, 4) and watershed-specific water stress indicators. For water stress indicators, Cummins worked with an external consultant to develop a composite picture of current and future water stress by combining data from WRI Aqueduct Tool, WBCSD Global Water Tool, and consultant expertise in the countries/regions where we operate. Portions of this data extend to a 2025 planning horizon. Scoring and weighting factors were applied to each of the 4 components of the C&E matrix and an 'at risk' threshold was defined as any sites scoring 150 or above in total composite score. Based on this, Cummins conducted detailed watershed assessments at each of the 3 locations scoring above the 150 'at risk' threshold, recently we added two more sites. BFCEC due to its growth that raised the risk scoring and CBL due to specific water issues arising in the area. In addition to the watershed assessments over 24 site level audits have been conducted to further validate conditions at prioritized sites. These audits and assessments identified specific areas for water management improvements including conservation, risk management, and community/watershed engagement opportunities. Facility data and conditions are reviewed annually and may alter the priority sites from year to year. CMI has developed a risk scoring tool that utilizes risk and quality data available from Maplecroft. This risk tool is updated annually with all site scores, we use this analysis to determine site priority list, project prioritization and future goal development and conservation activities. CMI identified 264 critical suppliers. The water risk using the Maplecroft tool has been analyzed for each of these suppliers. Select suppliers will be required to submit a risk mitigation plan as a results of their scores. Cummins has an annual scorecard for the largest suppliers and its strategic suppliers. The tool provides one consolidated approach to monitor areas of improvement, such as environmental sustainability. It is used for the supplier business review and assessment of the supplier's performance for continued business with Cummins. Generally, the areas that we asses are: (i) greenhouse gas emissions, water use, full material disclosure in the products the suppliers sell to Cummins. In addition, we ask for evidence for compliance with applicable standards, such as the ISO 14001. In addition to the six sigma project and the supplier engagement. CMI has developed a risk scoring tool that utilizes risk and quality data available from Maplecroft. This new tool helps assign a risk factor for each site that can be used when evaluating investment opportunities. It will also help in the evaluation of a supplier and new facility locations. All CMI sites included in the ISO 14001 Enterprise review a risk matrix annually that focuses on environmental impacts, including water consumption. CMIs current goal planning and strategy development is using the WRI mapping looking to 2040 and beyond. We have developed several key critical x's that focus on elimination of water use, water recycling as well as wastewater reuse. Priority sites for water will be included in onsite deep dive assessments by subject matter experts in 2023 to identify water conservation opportunities and priorities.

W4.1b

(W4.1b) What is the total number of facilities exposed to water risks with the potential to have a substantive financial or strategic impact on your business, and what proportion of your company-wide facilities does this represent?

	Total number of facilities exposed to water risk	% company-wide facilities this represents	Comment
Row 1	5	1-25	

W4.1c

(W4.1c) By river basin, what is the number and proportion of facilities exposed to water risks that could have a substantive financial or strategic impact on your business, and what is the potential business impact associated with those facilities?

Country/Area & River basin

China Other, please specify (Hai Ho)

Number of facilities exposed to water risk

% company-wide facilities this represents

1-25

Production value for the metals & mining activities associated with these facilities

<Not Applicable>

% company's annual electricity generation that could be affected by these facilities

<Not Applicable>

% company's global oil & gas production volume that could be affected by these facilities

<Not Applicable>

% company's total global revenue that could be affected

1-10

Comment

Cummins conducted detailed watershed assessments of facilities scoring above the 150 'at risk' threshold. There are 6 sites included in the Beijing region. BFCEC, the largest site in Beijing, China, was added to the at risk sites list due to its facility expansion that raised the risk scoring coupled with the future water scarcity conditions in the region. Also included are the other Cummins Beijing locations for emissions solutions, logistics and distribution. Inadequate or unreliable water supplies in the long-term horizons potentially leading to operational disruptions, increased water pricing, investment in contingency plans, and increased capital expenditures to manage growth within water use allocation limits were identified as risks. This site was subsequently elevated to high risk based upon facility expansion coupled with future water scarcity conditions in the region. A watershed assessment is planned in order to better understand and evaluate water sourcing risks, alternatives, and overall watershed conditions. Cummins encourages community engagement projects each year focusing on employee volunteer hours and sustainable projects that will be owned by the community upon completion. CMI has a grant process to fund these projects and allows sites to fund smaller ones within their budget. Historical data shows these are relatively low cost. Key actions for the region include a goal of near elimination of irrigation through xeriscape, fire protection system water recycling and strategic wastewater reuse to reduce Cummins' water consumptive impact. A central capital fund has been formed to aid in funding of environmental projects, \$18 million was allotted in 2021 and increases into the future.

Country/Area & River basin

India Krishna

Number of facilities exposed to water risk

2

% company-wide facilities this represents

1-25

Production value for the metals & mining activities associated with these facilities

<Not Applicable>

% company's annual electricity generation that could be affected by these facilities

<Not Applicable>

% company's global oil & gas production volume that could be affected by these facilities

<Not Applicable>

% company's total global revenue that could be affected

1-10

Comment

The megasite facility in Phaltan and manufacturing and tech center operations in the Kothrud area of Pune are both located in water scarce areas. The Phaltan megasite is made up of 10 sites and the Kothrud campus of 4 sites. These represent the biggest operations in India. There is potential for inadequate or unreliable water supplies in the short- and long-term horizons, which could lead to operational disruptions, increased water pricing, investment in contingency plans, and increased capital expenditures to manage growth within water use allocation limits. A watershed assessment was conducted to better understand water sourcing risks, alternatives, and overall watershed conditions. Responses include continued water conservation measures in existing operations, increase in water storage capacity, and deployment of low/no water use processes such as air cooled chiller systems where warranted based upon facility water dependency. These systems typically require increased capital expenditure and increased operating costs related to higher energy use, but off-set the potential risks associated with interruption of operations. However, Cummins is also using technologies such as regenerative dynos to manage the costs associated with the energy impact. Cummins encourages community engagement projects each year focusing on employee volunteer hours and sustainable projects that will be owned by the community upon completion. Cummins has a grant process to fund these projects and allows sites to fund smaller ones within their budget. Historical data shows these are relatively low cost. Cummins has developed critical actions that are to be implemented in this region. Cummins has a goal to ensure 100% wastewater reuse in all sites in this region by 2025. Other projects identified are fire protection system water recycling and xeriscaping will be completed at all facilities.

Country/Area & River basin

Mexico Panuco

Number of facilities exposed to water risk

1

% company-wide facilities this represents

1-25

Production value for the metals & mining activities associated with these facilities

<Not Applicable>

% company's annual electricity generation that could be affected by these facilities

<Not Applicable>

% company's global oil & gas production volume that could be affected by these facilities

<Not Applicable>

% company's total global revenue that could be affected

1-10

Comment

The San Luis Potosi facility is Cummins' largest operation in Mexico and is located in a region with high water stress. Inadequate or unreliable water supplies in the short-and long-term horizons are possible for the 6 sites in the area, which could lead to operational disruptions, increased water pricing, investment in contingency plans, and increased capital expenditures to manage growth within water use allocation limits were identified as risks. A watershed assessment was conducted to better understand water sourcing risks, alternatives, and overall watershed conditions. A response plan was developed encompassing further due diligence on mitigation measures, evaluating water sourcing options, continued water conservation measures and community alignment goals. Cummins encourages community engagement projects each year focusing on employee volunteer hours and sustainable projects that will be owned by the community upon completion. CMI has a grant process to fund these projects and allows sites to fund smaller ones within their budget. Historical data shows these are relatively low cost. In response to the risk SLP has implemented and maintained a xeriscape landscape and we intend to expand that concept to the other sites in this area prior to 2030. All sites will be included in a campaign to recycle fire protection system discharge and strategic sites will be included in the wastewater reuse efforts by 2030.

Country/Area & River basin

Brazil Paraiba Do Sul

Number of facilities exposed to water risk

1

% company-wide facilities this represents

Less than 1%

Production value for the metals & mining activities associated with these facilities

<Not Applicable>

% company's annual electricity generation that could be affected by these facilities

<Not Applicable>

% company's global oil & gas production volume that could be affected by these facilities

<Not Applicable>

% company's total global revenue that could be affected

1-10

Comment

Cummins operations in Guarulhos, a municipality near São Paulo, were identified as 'at risk' during a detailed watershed assessment. Cummins Brasil Ltda, the largest site in Brazil, was added to the risk list due to specific water issues arising in the area. Potential for inadequate or unreliable water supplies in the short- and long-term horizons, which could lead to operational disruptions, increased water pricing, investment in contingency plans, and increased capital expenditures to manage growth within water use allocation limits. This site was recently elevated to high risk based upon facility expansion and the recent drought conditions in southeastern Brazil. A watershed assessment was conducted to better understand and evaluate water sourcing risks, alternatives, and overall watershed conditions. In addition to continued water conservation measures and technologies, additional response measures may include deployment of additional water storage, low/no water use processes such as air cooled chiller systems and upgrades to the wastewater treatment system to allow for 100% reuse. Cummins encourages community engagement projects each year focusing on employee volunteer hours and sustainable projects that will be owned by the community upon completion. CMI has a grant process to fund these projects and allows sites to fund smaller ones within their budget. Historical data shows these are relatively low cost. In response to risks Cummins Brasil Ltd. has implemented wastewater reuse and has an alternate source of water. As with the other stressed regions Brazil is included in the xeriscape project implementation to eliminate or drastically reduce landscape irrigation, the fire protection system recycling and strategic facilities will implement wastewater reuse systems all by 2030.

W4.2

(W4.2) Provide details of identified risks in your direct operations with the potential to have a substantive financial or strategic impact on your business, and your response to those risks.

Country/Area & River basin

China Other, please specify (Hai Ho)

Type of risk & Primary risk driver

Acute physical Drought

Primary potential impact

Reduction or disruption in production capacity

Company-specific description

Disruption in production related to water in this region could occur due to water availability limitations. To avoid impacts each site has developed a business continuity plan that identifies and contracts if necessary with a third party water provider. In response to risk we implemented measures to ensure facility production capability, Cummins has duplicate production facilities in various regions. Facilities in this region would represent 10% or less of CMI revenue and the overall impact would be low. Key actions for the region also include a goal of near elimination of irrigation through xeriscape, fire protection system water recycling and strategic wastewater reuse to reduce Cummins' water consumptive impact to be completed by 2030. A central capital fund has been formed to aid in funding of environmental projects, \$18M was allotted in 2021 and increases into the future.

Timeframe

More than 6 years

Magnitude of potential impact

Low

Likelihood

More likely than not

Are you able to provide a potential financial impact figure?

Yes, an estimated range

Potential financial impact figure (currency)

<Not Applicable>

Potential financial impact figure - minimum (currency)

100000

Potential financial impact figure - maximum (currency)

20000000

Explanation of financial impact

Cummins conducted detailed watershed assessments to facilities identified as at risk. Overall, 46 percent of Cummins water use is in water stressed areas. Financial implications would be periods of plant inactivity or closure, loss of production and possible customer deadline ramifications. The maximum \$20 million figure would represent the maximum amount of lost revenue due to a high estimate of 5-7 days of plant shutdown due to lack of water for operations. The minimum \$100,000 is an estimated cost to provide temporary alternative water sourcing.

Primary response to risk

Amend the Business Continuity Plan

Description of response

Facilities have business continuity plans in place that identify alternate water sources, back up production facilities, back up suppliers and in some cases sites have contracts with alternate water providers in the event of a municipal supply shortage. Key actions for the region also include a goal of near elimination of irrigation through xeriscape, fire protection system water recycling and strategic wastewater reuse to reduce Cummins' water consumptive impact to be completed by 2030.

Cost of response

0

Explanation of cost of response

Business continuity planning is a requirement of all Cummins facilities. Water related issues are addressed as one part of the required plan, which would be prepared even if water stress had not been identified as a risk. There is accordingly no additional cost beyond that normally incurred by the preparation of a business continuity plan to address water related risks. Key actions for the region also include a goal of near elimination of irrigation through xeriscape, fire protection system water recycling and strategic wastewater reuse to reduce Cummins' water consumptive impact to be completed by 2030. A study was done to estimate the cost to implement the key action items and based on those estimates and annual capital amount was allotted to a central capital fund to aid sites in funding these projects,

Key Actions (total cost est.) 2020 – 2025 (\$23.5M) 2025 – 2030 (\$17.5M) No Potable Irrigation \$4.8M \$1.2M Fire Test Reuse \$7.2M \$1.8M WW Reuse \$11.5M \$14.5M

Country/Area & River basin

India	Krishna

Type of risk & Primary risk driver

Acu	e physical	Drought
-----	------------	---------

Primary potential impact

Reduction or disruption in production capacity

Company-specific description

Disruption in production related to water in this region could occur due to water availability limitations. To avoid impacts each site has developed a business continuity plan that identifies and contracts if necessary with a third party water provider. In addition to measures to ensure facility production capability, Cummins has duplicate production facilities in various regions. Facilities in this region would represent 10% or less of Cummins revenue and the overall impact would be low. Cummins has developed critical actions that are to be implemented in this region. Cummins has a goal to ensure 100% wastewater reuse in all sites in this region by 2025. Other projects identified are fire protection system water recycling and xeriscaping will be completed at all facilities.

Timeframe

More than 6 years

Magnitude of potential impact

Low

Likelihood

Very likely

Are you able to provide a potential financial impact figure?

Yes, an estimated range

Potential financial impact figure (currency)

<Not Applicable>

Potential financial impact figure - minimum (currency)

100000

Potential financial impact figure - maximum (currency)

20000000

Explanation of financial impact

Cummins conducted detailed watershed assessments to facilities identified as at risk. Overall, 46 percent of Cummins water use is in water stressed areas. Financial implications would be periods of plant inactivity or closure, loss of production and possible customer deadline ramifications. The maximum \$20 million figure would represent the maximum amount of lost revenue due to a high estimate of 5-7 days of plant shutdown due to lack of water for operations. The minimum \$100,000 is an estimated cost to provide temporary alternative water sourcing.

Primary response to risk

Amend the Business Continuity Plan

Description of response

Facilities have business continuity plans in place that identify alternate water sources, back up production facilities, back up suppliers and in some cases sites have contracts with alternate water providers in the event of a municipal supply shortage. Cummins has developed critical actions that are to be implemented in this region. Cummins has a goal to ensure 100% wastewater reuse in all sites in this region by 2025. Other projects identified are fire protection system water recycling and xeriscaping will be completed at all facilities.

Cost of response

0

Explanation of cost of response

Business continuity planning is a requirement of all CMI facilities. Water related issues are addressed as one part of the required plan, which would be prepared even if water stress had not been identified as a risk. There is accordingly no additional cost beyond that normally incurred by the preparation of a business continuity plan to address water related risks. A study was done to estimate the cost to implement the key action items and based on those estimates and annual capital amount was allotted to a central capital fund to aid sites in funding these projects,

Key Actions (total cost est.) 2020 – 2025 (\$23.5M) 2025 – 2030 (\$17.5M) No Potable Irrigation \$4.8M \$1.2M Fire Test Reuse \$7.2M \$1.8M WW Reuse \$11.5M \$14.5M

Country/Area & River basin

CO	Panuco
----	--------

Type of risk & Primary risk driver

Acute physical	Drought	

Primary potential impact

Reduction or disruption in production capacity

Company-specific description

Disruption in production related to water in this region could occur due to water availability limitations. To avoid impacts each site has developed a business continuity plan that identifies and contracts if necessary with a third party water provider. In addition to measures to ensure facility production capability, Cummins has duplicate production facilities in various regions. Facilities in this region would represent 10% or less of Cummins revenue and the overall impact would be low.

Timeframe

More than 6 years

Magnitude of potential impact

Low

Likelihood

About as likely as not

Are you able to provide a potential financial impact figure?

Yes, an estimated range

Potential financial impact figure (currency)

<Not Applicable>

Potential financial impact figure - minimum (currency)

100000

Potential financial impact figure - maximum (currency)

20000000

Explanation of financial impact

Cummins conducted detailed watershed assessments to facilities identified as at risk. Overall, 46 percent of Cummins water use is in water stressed areas. Financial loss of production and possible customer deadline ramifications. The maximum \$20 million figure would represent the maximum amount of lost revenue due to a high estimate of 5-7 days of plant shutdown due to lack of water for operations. The minimum \$100,000 is an estimated cost to provide temporary alternative water sourcing.

Primary response to risk

Amend the Business Continuity Plan

Description of response

Facilities have business continuity plans in place that identify alternate water sources, back up production facilities, back up suppliers and in some cases sites have contracts with alternate water providers in the event of a municipal supply shortage. In response to the risk SLP has implemented and maintained a xeriscape landscape and we intend to expand that concept to the other sites in this area prior to 2030. All sites will be included in a campaign to recycle fire protection system discharge and strategic sites will be included in the wastewater reuse efforts by 2030.

Cost of response

0

Explanation of cost of response

Business continuity planning is a requirement of all Cummins facilities. Water related issues are addressed as one part of the required plan, which would be prepared even if water stress had not been identified as a risk. There is accordingly no additional cost beyond that normally incurred by the preparation of a business continuity plan to address water related risks. In response to the risk SLP has implemented and maintained a xeriscape landscape and we intend to expand that concept to the other sites in this area prior to 2030. All sites will be included in a campaign to recycle fire protection system discharge and strategic sites will be included in the wastewater reuse efforts by 2030. A study was done to estimate the cost to implement the key action items and based on those estimates and annual capital amount was allotted to a central capital fund to aid sites in funding these projects,

Key Actions (total cost est.) 2020 – 2025 (\$23.5M) 2025 – 2030 (\$17.5M) No Potable Irrigation \$4.8M \$1.2M Fire Test Reuse \$7.2M \$1.8M WW Reuse \$11.5M \$14.5M

Country/Area & River basin

Brazil	Paraiba Do Sul

Type of risk & Primary risk driver

Acute physical	Drought

Primary potential impact

Reduction or disruption in production capacity

Company-specific description

Disruption in production related to water in this region could occur due to water availability limitations. To avoid impacts each site has developed a business continuity plan that identifies and contracts if necessary with a third party water provider. In addition to measures to ensure facility production capability, Cummins has duplicate production facilities in various regions. Facilities in this region would represent 10% or less of Cummins revenue and the overall impact would be low.

Timeframe

More than 6 years

Magnitude of potential impact

Low

Likelihood

Very likely

Are you able to provide a potential financial impact figure?

Yes, an estimated range

Potential financial impact figure (currency)

<Not Applicable>

Potential financial impact figure - minimum (currency)

100000

Potential financial impact figure - maximum (currency)

20000000

Explanation of financial impact

Cummins conducted detailed watershed assessments to facilities identified as at risk. Overall, 46 percent of Cummins water use is in water stressed areas. Financial implications would be periods of plant inactivity or closure, loss of production and possible customer deadline ramifications. The maximum \$20 million figure would represent the maximum amount of lost revenue due to a high estimate of 5-7 days of plant shutdown due to lack of water for operations. The minimum \$100,000 is an estimated cost to provide temporary alternative water sourcing.

Primary response to risk

Amend the Business Continuity Plan

Description of response

Facilities have business continuity plans in place that identify alternate water sources, back up production facilities, back up suppliers and in some cases sites have contracts with alternate water providers in the event of a municipal supply shortage. In response to risks Cummins Brasil Ltd. has implemented wastewater reuse and has an alternate source of water. As with the other stressed regions Brazil is included in the xeriscape project implementation to eliminate or drastically reduce landscape irrigation, the fire protection system recycling and strategic facilities will implement wastewater reuse systems all by 2030.

Cost of response

0

Explanation of cost of response

Business continuity planning is a requirement of all Cummins facilities. Water related issues are addressed as one part of the required plan, which would be prepared even if water stress had not been identified as a risk. There is accordingly no additional cost beyond that normally incurred by the preparation of a business continuity plan to address water related risks. A study was done to estimate the cost to implement the key action items and based on those estimates and annual capital amount was allotted to a central capital fund to aid sites in funding these projects,

Key Actions (total cost est.) 2020 – 2025 (\$23.5M) 2025 – 2030 (\$17.5M) No Potable Irrigation \$4.8M \$1.2M Fire Test Reuse \$7.2M \$1.8M WW Reuse \$11.5M \$14.5M

W4.2c

(W4.2c) Why does your organization not consider itself exposed to water risks in its value chain (beyond direct operations) with the potential to have a substantive financial or strategic impact?

Primary reason	Please explain
	There is risk, but we have alternate suppliers for critical components. Critical suppliers have been identified and have been asked to implement contingency plans in the event of water restrictions/drought. Cummins plans to conduct more thorough regional review of the most critical suppliers within the next 5 years.

W4.3

(W4.3) Have you identified any water-related opportunities with the potential to have a substantive financial or strategic impact on your business?

Yes, we have identified opportunities, and some/all are being realized

W4.3a

(W4.3a) Provide details of opportunities currently being realized that could have a substantive financial or strategic impact on your business.

Type of opportunity

Efficiency

Primary water-related opportunity

Improved water efficiency in operations

Company-specific description & strategy to realize opportunity

Site specific conservation goals have been set, performance is reviewed quarterly by leadership. Basic water requirements have been proceduralized and therefore are requirements that are auditable. Consultations are occurring with priority sites. Environmental champion program has been deployed at priority sites, and is being adopted by additional sites. Critical elimination, recycling and reuse activities have been identified and are being deployed. A capital management program has been implemented to assist in project funding. An Eco hopper exists to help collect and prioritize water related projects for funding, tracking and best practice sharing.

Estimated timeframe for realization

1 to 3 years

Magnitude of potential financial impact

Low-medium

Are you able to provide a potential financial impact figure?

Yes, an estimated range

Potential financial impact figure (currency)

<Not Applicable>

Potential financial impact figure – minimum (currency)

Potential financial impact figure – maximum (currency)

Explanation of financial impact

Most costs are low and considered normal operating expense. Cummins has designated \$3 million for water related projects through 2020. The Rocky Mount Engine Plant in North Carolina allocated \$5.5 million to water related projects in 2018, of which\$1.8 million came from the \$3 million dollar corporate fund.

Type of opportunity

Resilience

Primary water-related opportunity

Increased supply chain resilience

Company-specific description & strategy to realize opportunity

Focusing on 80 critical suppliers, developing reporting metrics, scorecards and other requirements related to water. Sites are already conducting annual business continuity planning that would account for water and any supplier interruptions. Plan to conduct watershed assessments for critical suppliers with limited back up supplier options.

Estimated timeframe for realization

4 to 6 years

Magnitude of potential financial impact

Low

Are you able to provide a potential financial impact figure?

Yes, an estimated range

Potential financial impact figure (currency)

<Not Applicable>

Potential financial impact figure – minimum (currency)

Potential financial impact figure – maximum (currency)

Explanation of financial impact

Estimation was made to account for potential expedited freight.

W5. Facility-level water accounting

W5.1

(W5.1) For each facility referenced in W4.1c, provide coordinates, water accounting data, and a comparison with the previous reporting year.

Facility reference number

Facility 1

Facility name (optional)

Beijing All

Country/Area & River basin

China

Other, please specify (Hai Ho)

Latitude

40.22066

Longitude

116.231204

Located in area with water stress

Primary power generation source for your electricity generation at this facility

<Not Applicable>

Oil & gas sector business division

<Not Applicable>

Total water withdrawals at this facility (megaliters/year)

153.6

Comparison of total withdrawals with previous reporting year

Withdrawals from fresh surface water, including rainwater, water from wetlands, rivers and lakes

Withdrawals from brackish surface water/seawater

Withdrawals from groundwater - renewable

Withdrawals from groundwater - non-renewable

Withdrawals from produced/entrained water

Withdrawals from third party sources

Total water discharges at this facility (megaliters/year)

Comparison of total discharges with previous reporting year

Discharges to fresh surface water

Discharges to brackish surface water/seawater

Discharges to groundwater

47.7

Discharges to third party destinations

57.7

Total water consumption at this facility (megaliters/year)

46.5

Comparison of total consumption with previous reporting year

Higher

Please explain

The sites included within the boundary of the Beijing facility were identified as 'at risk' by a watershed risk assessment using the World Resource Institute's (WRI) Baseline Water Stress (RAW) scores and an assessment tool developed by Maplecroft. The Beijing facility neither discharges to fresh or brackish surface water bodies nor withdraws water from brackish surface water, groundwater or produced/entrained water. Withdrawals from brackish surface water, non-renewable groundwater, produced and entrained water, and discharges to brackish water were accordingly estimated as zero. All of the water reported as withdrawn "from fresh surface water" was rainwater collected at the facility. Withdrawals from third-party sources are tracked as either water supplied from public/private utilities or water supplied from other sources. Third party destinations are categorized as industrial and sanitary wastewater discharged to public/private treatment works or wastewater trucked/hauled offsite. Discharges to groundwater are tracked as landscape irrigation (excluding process/sanitary discharges) and industrial and sanitary wastewater treated on-site and reused for irrigation. Water consumption is tracked separately rather than being calculated as the difference between withdrawal and discharge. Changes were classified using the following

system: +/- 5% as "about the same," between +/- 5% and 15% as "lower" or "higher," and greater than +/- 15% as "much higher" or "much lower."

Facility reference number

Facility 2

Facility name (optional)

Phaltan Megasite

Country/Area & River basin

India Krishna

Latitude

17.984451

Longitude

74.436042

Located in area with water stress

Yes

Primary power generation source for your electricity generation at this facility

<Not Applicable>

Oil & gas sector business division

<Not Applicable>

Total water withdrawals at this facility (megaliters/year)

111.8

Comparison of total withdrawals with previous reporting year

Much higher

Withdrawals from fresh surface water, including rainwater, water from wetlands, rivers and lakes

0.2

Withdrawals from brackish surface water/seawater

0

Withdrawals from groundwater - renewable

0

Withdrawals from groundwater - non-renewable

U

Withdrawals from produced/entrained water

MILL

Withdrawals from third party sources

111.6

Total water discharges at this facility (megaliters/year)

Comparison of total discharges with previous reporting year

Highe

Discharges to fresh surface water

0

Discharges to brackish surface water/seawater

0

Discharges to groundwater

40.5

Discharges to third party destinations

7.4

Total water consumption at this facility (megaliters/year)

49.4

Comparison of total consumption with previous reporting year

Higher

Please explain

The sites included in the Phaltan facility grouping are considered a single megasite based on their proximity and managerial connections. They were identified as 'at risk' by a watershed risk assessment using the World Resource Institute's (WRI) Baseline Water Stress (RAW) scores and an assessment tool developed by Maplecroft. Water was not discharged to brackish surface water bodies and was not withdrawn from brackish surface water, fresh surface water, groundwater or produced/entrained water. Withdrawals and discharges in these categories were accordingly estimated as zero. Withdrawals from third-party sources are tracked as either water supplied from public/private utilities or water supplied from other sources. Third party destinations are categorized as industrial and sanitary wastewater discharged to public/private treatment works or wastewater trucked/hauled offsite. Discharges to groundwater are tracked as landscape irrigation (excluding process/sanitary discharges) and industrial and sanitary wastewater treated on-site and reused for irrigation. Water consumption is tracked separately in Cummins' environmental management system rather than being calculated as the difference between withdrawal and discharge. Changes in water withdrawal, consumption, and discharge were classified using the following system: +/- 5% as "about the same," between +/- 5% and 15% as "lower" or "higher," and greater than +/- 15% as "much higher" or "much lower."

Facility reference number

Facility 3

Facility name (optional)

Kothrud Campus

Country/Area & River basin

India	Krishna

Latitude

18.497208

Longitude

73.807462

Located in area with water stress

Yes

Primary power generation source for your electricity generation at this facility

<Not Applicable>

Oil & gas sector business division

<Not Applicable>

Total water withdrawals at this facility (megaliters/year)

171.9

Comparison of total withdrawals with previous reporting year

Much higher

Withdrawals from fresh surface water, including rainwater, water from wetlands, rivers and lakes

_

Withdrawals from brackish surface water/seawater

0

Withdrawals from groundwater - renewable

92.1

Withdrawals from groundwater - non-renewable

0

Withdrawals from produced/entrained water

0

Withdrawals from third party sources

76.8

Total water discharges at this facility (megaliters/year)

40

Comparison of total discharges with previous reporting year

Much higher

Discharges to fresh surface water

7.8

Discharges to brackish surface water/seawater

.

Discharges to groundwater

12.3

Discharges to third party destinations

20

Total water consumption at this facility (megaliters/year)

74

Comparison of total consumption with previous reporting year

Lower

Please explain

The sites in Kothrud were grouped as a single facility based on their proximity and managerial connections. The campus was identified as 'at risk' by a watershed risk assessment using the World Resource Institute's (WRI) Baseline Water Stress (RAW) scores and a tool developed by Maplecroft. Water was neither discharged to brackish surface water bodies nor withdrawn from brackish surface water, fresh surface water, non-renewable groundwater or produced/entrained water. Withdrawals and discharges in these categories were accordingly estimated as zero. Withdrawals from third-party sources were tracked as either water supplied from utilities or water supplied from other sources. Third party destinations were categorized as industrial/sanitary wastewater discharged to treatment works or wastewater trucked/hauled offsite. Discharges to groundwater were tracked as landscape irrigation (excluding process/sanitary discharges) and industrial and sanitary wastewater treated on-site and reused for irrigation. Water consumption was tracked separately rather than being calculated as the difference between withdrawal and discharge. All of the water reported as withdrawn "from fresh surface water" was rainwater collected at the facility. Changes in water withdrawal, consumption, and discharge were classified using the following system: +/- 5% as "about the same," between +/- 5% and 15% as "lower" or "higher," and greater than +/- 15% as "much higher" or "much lower."

Facility reference number

Facility 4

Facility name (optional)

San Luis Potosi All

Country/Area & River basin

Mexico Panuco

Latitude

22.093321

Longitude

-100.895957

Located in area with water stress

Yes

Primary power generation source for your electricity generation at this facility

<Not Applicable>

Oil & gas sector business division

<Not Applicable>

Total water withdrawals at this facility (megaliters/year)

76.6

Comparison of total withdrawals with previous reporting year

Higher

Withdrawals from fresh surface water, including rainwater, water from wetlands, rivers and lakes

0

Withdrawals from brackish surface water/seawater

0

Withdrawals from groundwater - renewable

50.1

Withdrawals from groundwater - non-renewable

0

Withdrawals from produced/entrained water

0

Withdrawals from third party sources

26.5

Total water discharges at this facility (megaliters/year)

48.7

Comparison of total discharges with previous reporting year

Much lower

Discharges to fresh surface water

0.4

Discharges to brackish surface water/seawater

0

Discharges to groundwater

28.8

Discharges to third party destinations

19.5

Total water consumption at this facility (megaliters/year)

20.3

Comparison of total consumption with previous reporting year

Much higher

Please explain

The sites in the San Luis Potosi area are considered as a single facility based on their proximity and managerial connections. They were identified as 'at risk' by a watershed risk assessment using the World Resource Institute's (WRI) Baseline Water Stress (RAW) scores and an assessment tool developed by Maplecroft. Water was neither discharged to brackish surface water bodies nor withdrawn from brackish surface water, fresh surface water, non-renewable groundwater or produced/entrained water. Withdrawals and discharges in these categories were accordingly estimated as zero. Withdrawals from third-party sources were tracked as either water supplied from public/private utilities or water supplied from other sources. Third party destinations were categorized as industrial and sanitary wastewater discharged to public/private treatment works or wastewater trucked/hauled offsite. Discharges to groundwater were classified as landscape irrigation (excluding process/sanitary discharges) and industrial and sanitary wastewater treated on-site and reused for irrigation. Water consumption was tracked separately in Cummins' environmental management system rather than being calculated as the difference between withdrawal and discharge. Changes in water withdrawal, consumption, and discharge were classified using the following system: +/- 5% as "about the same," between +/- 5% and 15% as "lower" or "higher," and greater than +/- 15% as "much higher" or "much lower."

Facility reference number

Facility 5

Facility name (optional)

Guarulhos All

Country/Area & River basin

B :	
Brazil	Parajba Do Sul

Latitude

-23.454558

Longitude

-46.476503

Located in area with water stress

Yes

Primary power generation source for your electricity generation at this facility

<Not Applicable>

Oil & gas sector business division

<Not Applicable>

Total water withdrawals at this facility (megaliters/year)

Comparison of total withdrawals with previous reporting year

Higher

Withdrawals from fresh surface water, including rainwater, water from wetlands, rivers and lakes

Withdrawals from brackish surface water/seawater

Withdrawals from groundwater - renewable

Withdrawals from groundwater - non-renewable

Withdrawals from produced/entrained water

Withdrawals from third party sources

45.3

Total water discharges at this facility (megaliters/year)

Comparison of total discharges with previous reporting year

Discharges to fresh surface water

Discharges to brackish surface water/seawater

0

Discharges to groundwater

Discharges to third party destinations

15.9

Total water consumption at this facility (megaliters/year) 24.9

Comparison of total consumption with previous reporting year

Much higher Please explain

The sites in Guarulhos were identified as 'at risk' by a watershed risk assessment using the World Resource Institute's (WRI) Baseline Water Stress (RAW) scores and an assessment tool developed by Maplecroft. Water was neither discharged to brackish surface water bodies nor withdrawn from brackish surface water, groundwater or produced/entrained water. Withdrawals and discharges in these categories were accordingly estimated as zero. All of the water reported as withdrawn "from fresh surface water" was rainwater collected at the facility. Withdrawals from third-party sources were tracked as either water supplied from public/private utilities or water supplied from other sources. Third party destinations were categorized as industrial and sanitary wastewater discharged to public/private treatment works or wastewater trucked/hauled offsite. Discharges to groundwater were classified as landscape irrigation (excluding process/sanitary discharges) and industrial and sanitary wastewater treated on-site and reused for irrigation. Water consumption was tracked separately in Cummins' environmental management system rather than being calculated as the difference between withdrawal and discharge. Changes in water withdrawal, consumption, and discharge were classified using the following system: +/- 5% as "about the same," between +/-5% and 15% as "lower" or "higher," and greater than +/- 15% as "much higher" or "much lower."

W5.1a

(W5.1a) For the facilities referenced in W5.1, what proportion of water accounting data has been third party verified?

Water withdrawals - total volumes

% verified

76-100

Verification standard used

Apex used the following reference standard to conduct the verification: International Standard on Assurance Engagements (ISAE) 3000 Revised, Assurance Engagements Other than Audits or Reviews of Historical Financial Information (effective for assurance reports dated on or after Dec. 15, 2015), issued by the International Auditing and Assurance Standards Board.

The evidence gathering methodology employed by Apex included but was not limited to: Interviews with relevant personnel of Cummins;

- · Site visit to Columbus Engine Plant;
- · Review of documentary evidence produced by Cummins;
- Review of Cummins data and information systems and methodology for collection, aggregation, analysis

and review of information used to determine water withdrawal.

· Audit of samples of data from Cummins Operations used to determine water withdrawal.

Please explain

<Not Applicable>

Water withdrawals - volume by source

% verified

76-100

Verification standard used

Apex used the following reference standard to conduct the verification: International Standard on Assurance Engagements (ISAE) 3000 Revised, Assurance Engagements Other than Audits or Reviews of Historical Financial Information (effective for assurance reports dated on or after Dec. 15, 2015), issued by the International Auditing and Assurance Standards Board.

The evidence gathering methodology employed by Apex included but was not limited to:

Interviews with relevant personnel of Cummins:

- Site visit to Columbus Engine Plant;
- · Review of documentary evidence produced by Cummins;
- Review of Cummins data and information systems and methodology for collection, aggregation, analysis and review of information used to determine water withdrawal.
- Audit of samples of data from Cummins Operations used to determine water withdrawal.

Please explain

<Not Applicable>

Water withdrawals – quality by standard water quality parameters

% verified

Not verified

Verification standard used

<Not Applicable>

Please explain

Water discharges – total volumes

% verified

Not verified

Verification standard used

<Not Applicable>

Please explain

Water discharges - volume by destination

% verified

Not verified

Verification standard used

<Not Applicable>

Please explain

Water discharges - volume by final treatment level

% verified

Not verified

Verification standard used

<Not Applicable>

Please explain

Water discharges – quality by standard water quality parameters

% verified

Not verified

Verification standard used

<Not Applicable>

Please explain

Water consumption - total volume

% verified

Not verified

Verification standard used

<Not Applicable>

Please explain

W6. Governance

W6.1

(W6.1) Does your organization have a water policy?

Yes, we have a documented water policy that is publicly available

W6.1a

(W6.1a) Select the options that best describe the scope and content of your water policy.

Scope	Content	Please explain
	Commitment to	Cummins has developed the PLANET 2050 program which focuses on the linkages and interaction of natural resources, climate change and the success of our company and
wide	align with	communities. We have signed the CEO water mandate and continue to participate in a number of water conservation and protection strategies. Cummins' water management
	international	procedures direct facilities on how they should manage water (using a hierarchical approach), engineering and administrative control requirements, as well as an expectation
	frameworks,	strive toward benchmark performance. CMI has established a commitment to being an environmental steward within our own operations as well as within our communities an
	standards, and	globally. We have ACES (Action Committee for Environmental Sustainability) an internal cross functional group to address environmental impacts throughout the organization
	widely-recognized	and outside of it as well. We have the Waterworks program that partners to engage in water restoration and WASH globally. CMI has the Environmental Champion program,
	water initiatives	with several modules dedicated to water, that continues to educate employees.
	Commitment to	The second recorded to make, that commission to decode on projects.
	prevent, minimize,	
	and control	
	pollution	
	Commitment to	
	reduce or phase-	
	out hazardous	
	substances	
	Commitment to	
	reduce water	
	withdrawal and/or	
	consumption	
	volumes in direct	
	operations	
	Commitment to	
	safely managed	
	Water, Sanitation	
	and Hygiene	
	(WASH) in the	
	workplace	
	Commitment to	
	safely managed	
	Water, Sanitation	
	and Hygiene	
	(WASH) in local	
	communities	
	Commitment to	
	stakeholder	
	education and	
	capacity building	
	on water security	
	Commitment to	
	water stewardship	
	and/or collective	
	action	
	Commitment to	
	the conservation	
	of freshwater	
	ecosystems	
	Commitments	
	beyond regulatory	
	compliance	
	Reference to	
	company water-	
	related targets	
	Acknowledgement	
	of the human right	
	to water and	
	sanitation	
	Recognition of	
	environmental	
	linkages, for	
	example, due to	
1	climate change	

CDP Page 24 of 32

(W6.2) Is there board level oversight of water-related issues within your organization?

Yes

W6.2a

(W6.2a) Identify the position(s) (do not include any names) of the individual(s) on the board with responsibility for water-related issues.

Position of individual or committee	Responsibilities for water-related issues
Chief Executive Officer (CEO)	Oversite and annual review of the ACES committee actions, review and approval of sustainability goals and associated capital allocation, CEO water mandate, and approval and promotion of the PLANET 2050 and Waterworks programs.

W6.2b

(W6.2b) Provide further details on the board's oversight of water-related issues.

	water-related	Governance mechanisms into which water- related issues are integrated	Please explain
Row 1		Monitoring implementation and performance Reviewing and guiding corporate responsibility strategy Reviewing and guiding risk management policies Reviewing and guiding strategy Setting performance objectives	The Safety, Environment and Technology Committee is one of the six committees of Cummins Board of Directors. Members are are Stephen Dobbs, Chair, Robert Bernhard, Franklin Chang Diaz, Bruno Di Leo, Robert Herdman, Kim Nelson and Karen Quintos. This Committee is authorized to assist the Board of Directors in its oversight of safety policies, review environmental and technological strategies, compliance programs and major projects and review public policy developments, strategies and positions taken by us with respect to safety, environmental and technological matters that significantly impact us or our products.

W6.2d

 $(W6.2d)\ Does\ your\ organization\ have\ at\ least\ one\ board\ member\ with\ competence\ on\ water-related\ issues?$

	Board member(s) have competence on water-related issues		board-level competence on water-	Explain why your organization does not have at least one board member with competence on water-related issues and any plans to address board-level competence in the future
Row 1		Criteria used to assess competence of board members on water related issues include: deep technology expertise for sustainable manufacturing, health, safety and environment function knowledge, risk analysis, general environmental sustainability expertise in both strategy and execution of plans.	<not applicable=""></not>	<not applicable=""></not>

W6.3

(W6.3) Provide the highest management-level position(s) or committee(s) with responsibility for water-related issues (do not include the names of individuals).

Name of the position(s) and/or committee(s)

Chief Executive Officer (CEO)

Water-related responsibilities of this position

Setting water-related corporate targets

Monitoring progress against water-related corporate targets

Managing public policy engagement that may impact water security

Frequency of reporting to the board on water-related issues

Quarterly

Please explain

The Action Committee for Environmental Sustainability (ACES), formed in 2012, integrates climate change and water actions into overall business strategy. The executive sponsor and the head of this group both report up through the Chief Technical Officer, who reports to the CEO. who takes an active role in strategy. The ACES team has a global focus, involves all businesses and all functions and its structure of stakeholder areas is replicated all or in part in each of the 5 Company business units. The individual stakeholder and goal owner areas of ACES ensure that all aspects of the environment are included and data is collected and reported that inform decision making and goal setting. In June 2014, CMI announced it had adopted a comprehensive environmental sustainability plan, including and in 2019 announced PLANET 2050, also with public water goals. The CEO annually reviews strategy, goals, capital allocation and progress.

W6.4

(W6.4) Do you provide incentives to C-suite employees or board members for the management of water-related issues?

		Provide incentives for management of water-related issues	Comment
	Row 1	No, and we do not plan to introduce them in the next two years	

W6.5

(W6.5) Do you engage in activities that could either directly or indirectly influence public policy on water through any of the following?

Yes, trade associations

Yes, other

W6.5a

(W6.5a) What processes do you have in place to ensure that all of your direct and indirect activities seeking to influence policy are consistent with your water policy/water commitments?

Cummins participates in the WRC (Water Resiliency Coalition) and engages with other groups to help influence water programs, accounting and policy. To ensure that we engage in a manner that is consistent with our water policy and commitments all employees engaged in these groups are members of our ACES committee that reviews and sets CMI water goals and policies. Our engagement with external groups is also reviewed in many cases by our legal team to ensure conformance.

W6.6

(W6.6) Did your organization include information about its response to water-related risks in its most recent mainstream financial report?

Yes (you may attach the report - this is optional) 2022 10k.pdf

W7. Business strategy

W7.1

	Are water- related issues integrated?	Long- term time horizon (years)	Please explain
Long- term business objectives	Yes, water- related issues are integrated	> 30	The Action Committee for Environmental Sustainability (ACES), formed in 2012, integrates climate change actions into overall business strategy. The group has announced goals and targets out to 2030 and 2050. There is a 30% absolute water consumption reduction from our 2018 baseline goal set for 2030. The individual stakeholder and goal owner areas of ACES ensure that all aspects of the environment and relevant areas of the business are included and data is collected and reported that inform decision making and goal setting.
	related issues are integrated	> 30	The Action Committee for Environmental Sustainability (ACES), formed in 2012, integrates climate change actions into overall business strategy. The group has proposed goals and targets out to 2030 and 2050. Critical actions were identified to meet the 2030 goal including no potable water irrigation, fire protection water reuse and strategic wastewater reuse installations. Each critical action has a goal owner and an implementation leader. The individual stakeholder and goal owner areas of ACES ensure that all aspects of the environment and relevant areas of the business are included and data is collected and reported that inform decision making and goal setting. Strategic roadmaps are set by each stakeholder group to drive performance towards their respective goals. Progress reporting is tracked and presented monthly within the ECO management team, monthly with Regional Operating Teams and as needed with executive sponsors. Capital management programs have been developed to ensure environmental project funding and Environmental Champions program has been deployed at priority sites to ensure success.
Financial planning	Yes, water- related issues are integrated	> 30	The Action Committee for Environmental Sustainability (ACES), formed in 2012, integrates climate change actions into overall business strategy. The group is currently planning goals and targets out to 2030 and 2050. The individual stakeholder and goal owner areas of ACES ensure that all aspects of the environment and relevant areas of the business are included and data is collected and reported that inform decision making and goal setting. Strategic roadmaps are set by each stakeholder group to drive performance towards their respective goals. Capital management programs have been developed to ensure environmental project funding and Environmental Champions program has been deployed at priority sites to ensure success. An analysis was conducted regarding implementation costs of key actions in response to water risk and climate change. An estimated total of \$41M was projected out through 2030 to implement projects to achieve a 30% absolute water consumption reduction from 2018 baselines. A central capital fund specifically for these eco projects was established.

W7.2

(W7.2) What is the trend in your organization's water-related capital expenditure (CAPEX) and operating expenditure (OPEX) for the reporting year, and the anticipated trend for the next reporting year?

Row 1

Water-related CAPEX (+/- % change)

113

Anticipated forward trend for CAPEX (+/- % change)

-26

Water-related OPEX (+/- % change)

56

Anticipated forward trend for OPEX (+/- % change)

5

Please explain

 $Capital\ expenditures\ as\ follows\ \$1.787M\ for\ 2021,\ \$3.79M\ for\ 2022,\ \$2.79M\ planned\ for\ 2023.$

W7.3

(W7.3) Does your organization use scenario analysis to inform its business strategy?

	Use of	Comment
scenario scenario		
	analysis	
Row 1		Cummins has used scenario planning to contemplate different potential future outcomes in order to make more informed decisions. Cummins' objective in doing scenario planning is to ensure that it investment portfolio is informed and contemplates all major scenarios that would impact the business on an ongoing basis and that looks beyond our normal five year planning window. To do this, Cummins first identified the driving forces behind major changes in the world and the critical uncertainties within each. Based on the themes of those critical uncertainties, plausible scenarios were developed to weave a narrative of potential futures. Potential outcomes and implications to Cummins' business were then analyzed to understand hen and how disruptions might occur over time. In simple terms, Cummins repeatedly asked itself "what if?" to expose the greatest uncertainties about the future. Cummins must continually monitor and respond monitor and respond accordingly to change.

W7.3a

(W7.3a) Provide details of the scenario analysis, what water-related outcomes were identified, and how they have influenced your organization's business strategy.

	Type of scenario analysis used		Description of possible water-related outcomes	Influence on business strategy
Row	Water-	Maplecroft risk tool is used to give a risk score	Water and Quality stress indicators in the	Our business strategy is influenced by this information in a couple of ways. It influences our
1	related	associated with water stress and water quality to any	future for all locations in which CMI operates,	decision about limiting construction of new facilities in stressed areas as well as our
		given location. WRI Aqueduct maps are used to show	shows potential regions that may have water	conservation goal setting of current operations. CMI adjusted our conservation goal for 2030 to
		extreme stress areas. UN prediction of a 40%	shortages due to these. Water shortages	an absolute reduction of 30% based on 2018 use paired with community water restoration
		demand exceedance of supply by 2030.	could affect our ability to operate.	goals to offset the 40% demand increase predicted by the UN.

(W7.4) Does your company use an internal price on water?

Row 1

Does your company use an internal price on water?

Yes

Please explain

CMI does not have one value used for the entire company. Cummins has a "true cost of water tool" that captures extra costs associated with water use such as energy, maintenance, chemicals, etc., sites can use it to determine their direct cost of water for their site. We are in the process of integrating risk factors for each site into this tool as well.

W7.5

(W7.5) Do you classify any of your current products and/or services as low water impact?

	services classified as low water impact	used to classify low	Primary reason for not classifying any of your current products and/or services as low water impact	Please explain
1	No, and we do not plan to address this within the next two years	<not Applicable></not 	Judged to be unimportant, explanation provided	We deem all use of water as important; therefore, we want to encourage innovative thinking and efficient use of water regardless of the use or facility type. Cummins expects all facilities to be efficient in their use of water and teaches through the Environmental Champion program to manage using a hierarchical approach to drive towards elimination of use if possible.

W8. Targets

W8.1

(W8.1) Do you have any water-related targets?

Yes

W8.1a

(W8.1a) Indicate whether you have targets relating to water pollution, water withdrawals, WASH, or other water-related categories.

	Target set in this category	Please explain
Water pollution	No, and we do not plan to within the next two years	CMI meets or exceeds regulatory guidelines for discharge of wastewater and prohibits industrial wastewater direct discharge to a water body. CMI has stormwater and pollution prevention guidelines to prevent water pollution.
Water withdrawals	Yes	<not applicable=""></not>
Water, Sanitation, and Hygiene (WASH) services	No, but we plan to within the next two years	We plan to partner and provide grants for some WASH initiatives soon.
Other	Yes	<not applicable=""></not>

W8.1b

(W8.1b) Provide details of your water-related targets and the progress made.

Target reference number

Target 1

Category of target

Water consumption

Target coverage

Company-wide (direct operations only)

Quantitative metric

Reduction in total water consumption

Year target was set

2020

Base year

2018

Base year figure

4311

Target year

2030

Target year figure

3018

Reporting year figure

3740.6

% of target achieved relative to base year

44.1144624903326

Target status in reporting year

Underway

Please explain

In 2020, Cummins set a goal to achieve a 30% reduction in absolute water consumption at its facilities by 2030, as compared to a baseline of 2018. However, the acquisition of Westport JV, Jacobs Vehicle Systems, Meritor, and Siemens Commercial Vehicles Propulsion in 2022 changed the company's footprint and, therefore, the baseline against which progress is tracked. Water withdrawals, consumption, and discharges from facilities that are now operated by Cummins are considered to be within its inventory boundary for 2022 and all prior years in which the facilities were in operation. As such, the "base year figure" presented above incorporates these acquired sites using measured values and, in cases where data has not yet been obtained, estimations based on the earliest reliable data available to us. Additional information is being collected to more precisely determine the impact of the acquisitions on Cummins 2018 baseline. At present, we estimate that approximately 44% of the 2030 target has been achieved when these new locations are included.

Target reference number

Target 2

Category of target

Community engagement

Target coverage

Country/area/region

Quantitative metric

Other, please specify (Regional Neutrality (Restoring more water through community projects than the region consumes in business operations))

Year target was set

2020

Base year

2018

Base year figure

954995960

Target year

2030

Target year figure

954995960

Reporting year figure

6161722770

% of target achieved relative to base year

<Calculated field>

Target status in reporting year

Underway

Please explain

As a company we have exceeded our goal of 100% water neutrality by volume, but only 2 out of 8 regions have achieved the goal. Due to the regional nature of the goal only 25% has been achieved. We began water neutrality efforts several years ago within water stressed regions only. Annually sustainable projects have restored in India 5,721,114,927 gallons and Latin America 5,721,114,927 gallons of water. These regions have greatly exceeded their annual water consumption and are validated as water neutral regions. There are 6 remaining regions working to achieve this status.

W9.1

(W9.1) Do you verify any other water information reported in your CDP disclosure (not already covered by W5.1a)?

Yes

Cummins 2022-Water Assurance Statement.pdf

W9.1a

(W9.1a) Which data points within your CDP disclosure have been verified, and which standards were used?

Disclosure	Disclosure Data verified		n Please explain	
module		standard		
state	Apex Companies, LLC (Apex) was engaged to conduct an independent verification of the water withdrawal data reported by Cummins, Inc. for the calendar year 2022. The verified totals include water withdrawn from the ground, rainwater, and municipal water.		The verification was conducted using criteria from the CDP Water Disclosure Reporting Guidelines. The International Standard on Assurance Engagements (ISAE) 3000 Revised, issued by the International Auditing and Assurance Standards Board was used as the reference standard.	

W10. Plastics

W10.1

(W10.1) Have you mapped where in your value chain plastics are used and/or produced?

Plastics Value Please explain		Value	Please explain
	mapping chain		
		stage	
Row 1			Plastics used within canteens, amenity areas and at events have been identified and a plan put in place to eliminate. Purchase records of items like cups utensils etc. have been reviewed as well as contracts reviewed with canteen vendors.
		chain	Packaging has also been mapped within supply chain and in packaging for our outgoing packaging. Stretch wrap (LDPE), VCI treated film/bags (LDPE), Plastic strapping and plastic caps for part protection e.g., turbo caps (polypropylene) are common plastics used within our packaging operations and identified for improvement opportunities. Additional work is underway to improve mapping of incoming packaging from top suppliers.

W10.2

(W10.2) Across your value chain, have you assessed the potential environmental and human health impacts of your use and/or production of plastics?

	Impact assessment	Value chain stage	Please explain
Row 1	Not assessed – but we plan to within the next two years	<not applicable=""></not>	Plan to complete in the next two years.

W10.3

(W10.3) Across your value chain, are you exposed to plastics-related risks with the potential to have a substantive financial or strategic impact on your business? If so, provide details.

	Risk exposure	Value chain stage	Type of risk	Please explain
Row 1	No, risks assessed, and none considered as substantive	<not applicable=""></not>	<not applicable=""></not>	Not considered to be substantive

W10.4

(W10.4) Do you have plastics-related targets, and if so what type?

	Targets in place	Target type	Target metric	Please explain
Row 1			Eliminate problematic and unnecessary plastic packaging Increase the proportion of plastic packaging that is	WE have a focused goal for plastics with two key focus area. Eliminate single use plastics in dining facilities, as amenities and at events. The second goal is packaging focused to
ľ		Waste	Increase the proportion of plastic packaging that is reusable	reuse or responsibly recycle 100% of packaging plastics.

W10.5

(W10.5) Indicate whether your organization engages in the following activities.

	Activity applies	Comment
Production of plastic polymers	No	
Production of durable plastic components	No	
Production / commercialization of durable plastic goods (including mixed materials)	No	
Production / commercialization of plastic packaging	No	
Production of goods packaged in plastics	No	
Provision / commercialization of services or goods that use plastic packaging (e.g., retail and food services)	No	

W11. Sign off

W-FI

(W-FI) Use this field to provide any additional information or context that you feel is relevant to your organization's response. Please note that this field is optional and is not scored.

W11.1

(W11.1) Provide details for the person that has signed off (approved) your CDP water response.

	Job title	Corresponding job category
Row 1	Global Water Leader	Environment/Sustainability manager

SW. Supply chain module

SW0.1

(SW0.1) What is your organization's annual revenue for the reporting period?

	Annual revenue
Row 1	

SW1.1

(SW1.1) Could any of your facilities reported in W5.1 have an impact on a requesting CDP supply chain member?

SW1.2

(SW1.2) Are you able to provide geolocation data for your facilities?

	Are you able to provide geolocation data for your facilities?	Comment
Row 1	No, not currently but we intend to provide it within the next two years	

SW2.1

(SW2.1) Please propose any mutually beneficial water-related projects you could collaborate on with specific CDP supply chain members.

SW2.2

(SW2.2) Have any water projects been implemented due to CDP supply chain member engagement?

CDP

(SW3.1) Provide any available water intensity values for your organization's products or services.

Submit your response

In which language are you submitting your response?

English

Please confirm how your response should be handled by CDP

	I understand that my response will be shared with all requesting stakeholders	Response permission
Please select your submission options	Yes	Public

Please indicate your consent for CDP to share contact details with the Pacific Institute to support content for its Water Action Hub website.

Yes, CDP may share our Main User contact details with the Pacific Institute

Please confirm below

I have read and accept the applicable Terms